

# **KReporter v4.0**

**Bucket Manager** 

 $\underline{https://www.youtube.com/user/theKReporter}$ 

You Tube

https://www.facebook.com/kreporter.org

Introduction	3
Define a grouping	3
Define the mapping grouping	
Use defined grouping in report	


#### Introduction

The **Bucket Manager** allows to group records based on enum values or text fields in different buckets. For example, you can take Opportunities and group stages into the buckets Open, Won and Lost. Then you can assign existing stages to the groups and report only on the new buckets. Buckets can be used for display but also for selection purposes. A quite powerful tool to summarize and structure reports.


## Define a grouping

Go to Bucket Manager

Click **Add** in left panel **Groupings** and create new Grouping.




Enter adequate name, select module and related list.




Click Save

Now you have your grouping name on the left, the possible values on the right. In the middle you can now define your 3 sales stages.




# Define the mapping grouping

Click Add in middle panel Mappings.




### Enter adequate name




Click OK

### Now drag & drop the values related to Open Sales Stage.



Press Ctrl-Key to select multiple values and drag them at once.




Define a mapping for Won and a mapping for Lost.

To rename a mapping double click on the tree label and overwrite



#### Your grouping now looks like



Definition is saved automatically after each action.

# Use defined grouping in report

Let us create a simple report listing Open and Won Opportunities.

In SELECT tab drag sales stage field to selection panel. The **grouping** in now available in **Grouping field**. Select the grouping, select the operator, now you have your **mappings** as possible values.

